

Sub D5 }  
Sub C }  
Sub 1 }  
Sub 2 }  
Sub 3 }  
Sub 4 }  
Sub 5 }  
Sub 6 }  
Sub 7 }  
Sub 8 }  
Sub 9 }  
Sub 10 }  
Sub 11 }  
Sub 12 }  
Sub 13 }  
Sub 14 }  
Sub 15 }  
Sub 16 }  
Sub 17 }  
Sub 18 }  
Sub 19 }  
Sub 20 }  
Sub 21 }  
Sub 22 }  
Sub 23 }  
Sub 24 }  
Sub 25 }  
Sub 26 }  
Sub 27 }  
Sub 28 }  
Sub 29 }  
Sub 30 }  
Sub 31 }  
Sub 32 }  
Sub 33 }  
Sub 34 }  
Sub 35 }  
Sub 36 }  
Sub 37 }  
Sub 38 }  
Sub 39 }  
Sub 40 }  
Sub 41 }  
Sub 42 }  
Sub 43 }  
Sub 44 }  
Sub 45 }  
Sub 46 }  
Sub 47 }  
Sub 48 }  
Sub 49 }  
Sub 50 }  
Sub 51 }  
Sub 52 }  
Sub 53 }  
Sub 54 }  
Sub 55 }  
Sub 56 }  
Sub 57 }  
Sub 58 }  
Sub 59 }  
Sub 60 }  
Sub 61 }  
Sub 62 }  
Sub 63 }  
Sub 64 }  
Sub 65 }  
Sub 66 }  
Sub 67 }  
Sub 68 }  
Sub 69 }  
Sub 70 }  
Sub 71 }  
Sub 72 }  
Sub 73 }  
Sub 74 }  
Sub 75 }  
Sub 76 }  
Sub 77 }  
Sub 78 }  
Sub 79 }  
Sub 80 }  
Sub 81 }  
Sub 82 }  
Sub 83 }  
Sub 84 }  
Sub 85 }  
Sub 86 }  
Sub 87 }  
Sub 88 }  
Sub 89 }  
Sub 90 }  
Sub 91 }  
Sub 92 }  
Sub 93 }  
Sub 94 }  
Sub 95 }  
Sub 96 }  
Sub 97 }  
Sub 98 }  
Sub 99 }  
Sub 100 }

~~22. A coextrusion binder according to claim 1, wherein the amounts of (A1) and (A2) are 60 to 95 parts of (A1) for 40 to 5 parts of (A2).~~

23. A coextrusion binder according to claim 1, wherein said unsaturated carboxylic acid has 2 to 20 carbon atoms.

24. A coextrusion binder according to claim 1, wherein said unsaturated carboxylic acid is an unsaturated dicarboxylic acid having 4 to 10 carbon atoms.

25. A coextrusion binder according to claim 1, wherein the binder contains 5 to 20 parts of (A) per 95 to 80 parts of (B). --